

Accessibility Requirements Acknowledgment

Chapter 188 of the Jersey City Municipal Code §188-15 E. requires that all units shall be constructed in accordance with N.J.A.C. 5:23 (Uniform Construction Code), N.J.S.A. 52:27D-119 et seq. (State Uniform Construction Code Act), N.J.S.A. 52:27D-301 et seq. (Fair Housing Act), including all adaptability requirements as codified in N.J.S.A. 52:27D-311a, 52:27D-311b and 52:27D-123.15, and all other Federal, State and local laws unless otherwise stated in the Affordable Housing Agreement.

Please have your architect initial this page to confirm understanding of these requirements and to confirm that site plan drawings will reflect these requirements accordingly.

A. Accessibility Requirements:

1. The first floor of all new restricted townhouse dwelling units and all restricted multistory dwelling units attached to at least one (1) other dwelling unit shall be subject to the technical design standards of the Barrier Free Subcode, N.J.A.C. 5:23-7.
2. All restricted townhouse dwelling units and all restricted multistory dwelling units attached to at least one (1) other dwelling unit shall have the following features:
 - a. An adaptable toilet and bathing facility on the first floor;
 - b. An adaptable kitchen on the first floor;
 - c. An interior accessible route of travel on the first floor;
 1. An interior accessible route of travel shall not be required between stories within an individual unit;
 - d. An adaptable room that can be used as a bedroom, with a door or the casing or the installation of a door, on the first floor; and
 - e. An accessible entranceway as set forth at P.L. 2005, c. 350 (N.J.S.A. 52:27D-311a et seq.) and the Barrier Free Subcode, N.J.A.C. 5:23-7, or evidence that the City has collected funds from the developer sufficient to make 10% of the adaptable entrances in the development accessible:
 1. Full compliance with the foregoing provisions shall not be required where an entity can demonstrate that its site impracticable to meet the requirements. Determinations of site impracticability shall be in compliance with the Barrier Free Subcode, N.J.A.C. 5:23-7. **Such determinations require the review and approval of Jersey City's Construction Code Official.**

Architect Name: _____

David Manfredi

(Please print)

Name of Firm: _____

Elkus Manfredi Architects

Initials: _____

DM

Date: _____

1.2.24